



TURNSTILES PADDLE GATES



GateSet *Eco Line* GP-1000 Series Manual Paddle Swing Gate Turnstiles are an economical alternative to regulate pedestrian traffic. It gives access in one direction, while it closes access at opposite direction firmly with its solid structure. GP-1000 Series Paddle Gates are applicable in cafeterias, shopping malls, supermarkets, fitness/wellness centers with its silent operation and user friendly design.

ACCESS CONTROL *PADDLE GATES*



ECO LINE GP-1000 SERIES



GP-1000

- 32mm 304 Stainless Steel Arm
- Uni-Directional Operation
- Manual Movement

DATASHEET *TURNSTILES*





FEATURED CHARACTERISTICS

- **Classic Design** Aesthetic outfit with polished finishing



- **Functional** Uni-Directional Manual Operation



- **Reliable** Ease of installation,
Low service - Long product Life



- **Silent** Silent and smooth operation

USAGE AREAS

- **Access Control** Cafeterias
- Supermarkets
- Sport Centers
- Business Centers
- Government Offices
- Industrial Plants




DATASHEET *TURNSTILES*







DRAWINGS AND DIMENSIONS



Front View



Top View



Isometric View

TECHNICAL SPECIFICATIONS

MATERIAL - MAIN BODY	304 grade stainless steel, polished finishing
MATERIAL - SWING ARM	Steel profile frame with 32 mm diameter
OTHER PARTS	304 grade stainless steel
DIMENSIONS (mm)	1385 x 1160 x 1000 (WxLxH)
PADDLE ARM WIDTH (mm)	550
OPERATING VOLTAGE	None
OPERATING TEMPERATURE	-20 °C / + 70 °C
ACCESS CONTROL	Free passage in desired direction. Passage is blocked in opposite direction
OPERATIONAL MODE	Manual operation, arm is pushed by user. Silent and smooth.
OPERATION SAFETY	Electrical and mechanical safety for all component. To avoid injuries, all corners and sides are rounded
CERTIFICATION	ISO 9001:2008
WARRANTY	2 Years

DATASHEET *TURNSTILES*